

wallbox 🗓





PULSAR MAX

Going electric just got easier.

Tougher. Simpler. Smarter.

Pulsar Max is the smart home charger specially designed to unlock time, money and energy savings for everyday electric vehicle drivers. Get top charging speeds while minimizing your daily energy use, so you can enjoy your electric vehicle to the fullest.



Powerful, fast charging

Up to 8x faster charging

Save money and energy

Avoid high energy tariffs with smart charging schedules

✓ Ultra-Fast Advanced CPU

High processing speeds and future proof software, built in-house specifically for charging.

Easy installation

New easy-to-install design reduces installation time and costs

Solar charging compatible

Take full advantage of your solar panels

Weather and dust protection

Perfect for indoor or outdoor installation, with a scratch-resistant matte finish



Even more to love

- Fast
 Up to 22kW of power
- Compatible
 Options for any EV
 and any home
- Hands-Free
 Control via your Amazon
 Alexa or Google Assistant*

- Compact
 Just 1.3kg
- Protected
 Enjoy a 3-year warranty
 with options to extend
- Connected
 Control from the myWallbox
 app via Wi-Fi or Bluetooth



Upgrade your experience with Wallbox Energy Management Solutions

Enjoy even more sustainable, cost-efficient charging at home.

Eco-Smart

Solar EV Charging


Use the surplus solar energy from your solar panels to charge your EV. Choose to charge with 100% solar energy, or a mix of solar and grid energy.*



Power Boost

Dynamic Load Balancing


Balance the available energy between your home and car, in real-time, so you can run your large appliances and still charge at high speeds! No need for costly upgrades to your electrical panel.*



Power Sharing

Charge Multiple EVs

Install multiple chargers on the same circuit to distribute the available energy dynamically and charge all connected cars at once.**




MYWAI I BOX APP

Control at your fingertips with the myWallbox app

- Monitor the status of your charger and control it from anywhere.
- Get energy use and spending statistics in real-time.
- Secure your charger with remote locking and unlocking.
- Access all Energy Management Solution features.
- NEW! Activate Halo Light Standby so the light will stay off until you interact with the charger.





Product Specifications

General Specifications

Cable Length: 5m (7m optional)

Charging Mode

(IEC 61851-1): Mode 3

Dimensions: 198 x 201 x 99mm

(without cable)

Weight: 1.3kg (without cable)

Operating Temperature: -25 °C to 50 °C **Storage Temperature:** -10 °C to 70 °C

User Interface & Communications

Connectivity: WiFi, Bluetooth
Communication Platforms: myWallbox, OCPP 1.6j

Electrical Specifications

Rated Voltage AC ± 10%: 220-240 V /

380-440 V

Charging Power: 7.4 kW / 22 kW **Rated Current:** 32 A (1P) / 32 A (3P)

Connector Type

(IEC 62196-2): Type 1 or Type 2 or

GB/T

Cable Width: up to 13 mm2 **Configurable Current:** from 6 A to

rated current

Rated Frequency: 50 Hz / 60 Hz
Protection Rating: IP55 / IK10
Surge Category: CAT III

Residual Current Detection: DC 6 mA **RCCB:** External RCCB

Type A required







ev@transnet.co.nz evc.co.nz0800 442 182 | +64 9 274 3340

www.wallbox.com

Copyright 2022 Wallbox Chargers ST